1 Identification of the substance and manufacturer

i identification of the substance a		
Trade name:	GLOSS ALMOND ENAMEL	
Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	ObjectiveObjective0000980023Paint and coatings application.Any that differs from the recommended use.Seymour of SycamoreSeymour of Sycamore3041 Dougall Avenue, Su917 Crosby Avenue3041 Dougall Avenue, SuSycamore, IL 60178 USAWindsor, ONT N9E 1S3 C/phone: 815-895-9101phone: 800-43www.seymourpaint.comwww.seymourpaint.com1-800-255-3924www.seymourpaint.com	
2 Hazard(s) identification		
Classification of the substance or m	ixturo	
Flammable Aerosols 1		
Gases under Pressure - Liquefied gas	H222 Extremely flammable aerosol. H280 Contains gas under pressure; may expl	ada if haatad
Eye Irritation 2A	H319 Causes serious eye irritation.	oue il fieateu.
Carcinogenicity 2	H351 Suspected of causing cancer. Route of	exposure [.] Inhalation
Toxic to Reproduction 1B	H360 May damage fertility or the unborn child	•
Specific Target Organ Toxicity - Single		
	ted Exposure 2 H373 May cause damage to organs through p	prolonged or repeated exposure.
Additional information:		o i i
GHS Hazard pictograms		
	GHS02 GHS04 GHS07 GHS08	
Signal word	Danger	
Hazard statements	Extremely flammable aerosol.	
	Contains gas under pressure; may explode if heated. Causes serious eye irritation.	
	Suspected of causing cancer. Route of exposure: Inhalation.	
	May damage fertility or the unborn child.	
	May cause drowsiness or dizziness.	
Precautionary statements	May cause damage to organs through prolonged or repeated Obtain special instructions before use.	exposure.
r recutionary statements	Keep away from heat/sparks/open flames/hot surfaces No	smoking.
	Do not spray on an open flame or other ignition source.	-
	Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray.	
	Wash thoroughly after handling.	
	Use only outdoors or in a well-ventilated area.	
	Wear protective gloves/protective clothing/eye protection/face IF INHALED: Remove person to fresh air and keep comfortab	
	If in eyes: Rinse cautiously with water for several minutes.	
	easy to do. Continue rinsing.	· •
	Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention.	
	Store in a well-ventilated place.	
	Store locked up.	50°0/400°E
	Protect from sunlight. Do not expose to temperatures exceed Dispose of contents/container in accordance with local/region	Ing 50°C/122°F. Dal/national/international regulations
	Dispesse of contents, container in accordance with local/region	
2 Composition/information on ingradiante		
3 Composition/information on ing	regients	

Chemical characterization: Mixtures

Dangerous components:		
67-64-1	Acetone	25-509
	propane	15-25%
64742-89-8	VM&P Naphtha	10-159
106-97-8	n-butane	10-159
64742-47-8	Mineral Spirits	5-10%
13463-67-7	titanium dioxide	5-10%
108-88-3	Toluene	1-5%
67-63-0	Isopropyl Alcohol	1-5%

- **4 First-aid measures**
 - After inhalation: After skin contact: After eye contact:

Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. (Contd. on page 2)

Printing date 01/17/2024

Revised On 01/17/2024

	(Contd. of pag	
After swallowing:	Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.	
Most important symptoms and effects:	Dizziness	
Indication of any immediate medi	ical	
attention needed:	No further relevant information available.	
5 Fire-fighting measures		
Extinguishing agents: Special hazards:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.	
Protective equipment for firefighters:	A respiratory protective device may be necessary.	
mengmers.		
6 Accidental release measures		
Personal precautions, protective equipment and emergency		
procedures:	Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.	
Methods and material for containment and cleaning up:	Ensure adequate ventilation. Dispose contaminated material as waste according to section 13.	
7 Handling and storage Precautions for safe handling	Lice only in well ventilated areas	
Storage requirements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditio Store locked up.	
8 Exposure controls/personal personal p	at require monitoring at the workplace:	
REL (USA) Long-term value: 590 m		
TLV (USA) Short-term value: 500 p Long-term value: 250 p A4, BEI	pm pm	
74-98-6 propane		
PEL (USA) Long-term value: 1800 REL (USA) Long-term value: 1800		
TLV (USA) see Appendix F Minima		
106-97-8 n-butane		
REL (USA) Long-term value: 1900 mg/m³, 800 ppm		
TLV (USA) Short-term value: 1000 (EX)	ppm	
108-88-3 Toluene		
PEL (USA) Long-term value: 200 p Ceiling limit value: 300; *10-min peak per 8 br s	500* ppm	
*10-min peak per 8-hr shift REL (USA) Short-term value: 560 mg/m³, 150 ppm		
Long-term value: 375 mg/m³, 100 ppm TLV (USA) Long-term value: 20 ppm BEI, OTO, A4		
67-63-0 Isopropyl Alcohol		
EL (USA) Long-term value: 980 mg/m³, 400 ppm		
KEL (USA) Short-term value: 1225 Long-term value: 980 m	USA) Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
	ppm	
TLV (USA) Short-term value: 400 p Long-term value: 200 p		
Long-term value: 200 p BEI, A4	alues:	
Long-term value: 200 p BEI, A4 Ingredients with biological limit v 67-64-1 Acetone	alues:	
Long-term value: 200 p BEI, A4 Ingredients with biological limit v 67-64-1 Acetone BEI (USA) 25 mg/L	alues:	
Long-term value: 200 p BEI, A4 Ingredients with biological limit v 67-64-1 Acetone		

Revised On 01/17/2024

Trade name: GLOSS ALMOND ENAMEL

		(Contd. of page 2)		
108-88-3 T				
BEI (USA)	BEI (USA) 0.02 mg/L			
	Medium: blood			
	Time: prior to last shift of workweek Parameter: Toluene			
	0.03 mg/L			
	Medium: urine			
	Time: end of shift			
	Parameter: Toluene			
	0.3 mg/g creatinine			
	Medium: urine			
	Time: end of shift			
	Parameter: o-Cresol with h	ydrolysis (background)		
67-63-0 lso	opropyl Alcohol			
BEI (USA)				
	Medium: urine			
	Time: end of shift at end of			
	Parameter: Acetone (back			
Hygienic p	protection:	Keep away from foodstuffs and animal feed. Wash hands after use.		
		Immediately remove all soiled and contaminated clothing. Wash hands after use.		
		Store protective clothing separately.		
		Avoid contact with the eyes and skin.		
		Do not eat or drink while working.		
Breathing	equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In		
-		cases where short and/or long term overexposure exists, a NIOSH approved respirator should be		
		worn. If you suspect overexposure conditions exist, please consult an authority on chemical		
lland weat	t	hygiene.		
Hand prot	ection:	Nitrile gloves. The glove material must be impermeable and resistant to the substance.		
Eye protec	ction:	Tightly sealed goggles		
9 Physical	and chemical propertie	S		
Appearance		Aerosol.		
Odor:		Aromatic		
Odor three	shold:	Not determined.		
pH-value:		Not determined.		
	bint/Melting range	Undetermined.		
Boiling po	int:	-44 °C (-47.2 °F)		
Flash poin		-19 °C (-2.2 °F)		
	lity (solid, gas):	Extremely flammable.		
		Not determined.		
-	sition temperature:			
Auto igniti	ing:	Product is not self-igniting.		
Danger of	explosion:	In use, may form flammable/explosive vapour-air mixture.		
Lower Exp	olosion Limit:	1.7 Vol %		
Upper Exp	olosion Limit:	10.9 Vol %		
Vapor pres	ssure:	Not determined.		
Relative D	ensity:	Between 0.77 and 0.85 (Water equals 1.00)		
Vapor den	sity	Not determined.		
Evaporatio		Not applicable.		
Partition c	coefficient: n-octonal/wate	r: Not determined.		
Solubility:		Not determined.		
Viscosity:		Not determined.		
Water:		0.0 %		
	and reactivity			
Reactivity	:	Stable at normal temperatures.		
Condition	s to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing		
Charrier	atability	temperatures.		
Chemical Bossibility	stability: of hazardous reactions:	Not fully evaluated. No dangerous reactions known.		
	ble materials:	No dangerous reactions known. No further relevant information available.		
	s decomposition:	No dangerous decomposition products known.		
1 14241 4043				

Printing date 01/17/2024

Revised On 01/17/2024

	(Orath stores 2)		
	(Contd. of page 3)		
11 Toxicological information			
LD/LC50 values that are relevant for	classification:		
13463-67-7 titanium dioxide			
Oral LD50 >20,000 mg/kg (rat)			
Dermal LD50 >10,000 mg/kg (rbt) Inhalative LC50/4 h >6.82 mg/l (rat)			
67-63-0 Isopropyl Alcohol			
Oral LD50 4,570 mg/kg (rat)			
Dermal LD50 13,400 mg/kg (ra			
Inhalative LC50/4 h 30 mg/l (rat)			
Information on toxicological effects: Skin effects: Eye effects: Sensitization:	No data available. No irritant effect. Irritating effect. No sensitizing effects known.		
12 Ecological information			
12 Ecological information Aquatic toxicity:	Hazardous for water, do not empty into drains.		
Persistence and degradability: Other information:	The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents.		
Bioaccumulative potential: Mobility in soil: Other adverse effects:	No further relevant information available. No further relevant information available. No further relevant information available.		
13 Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat or Recommendation: Recommended cleansing agent:	ate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be r cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.		
14 Transport information			
UN-Number DOT ADR Transport hazard class(es): Class Marine pollutant:	UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No		
Special precautions for user: EMS Number:	Warning: Gases F-D,S-U		
Packaging Group: UN "Model Regulation":	UN1950, Aerosols, 2.1		
15 Regulatory information			
SARA Section 355 (extremely hazard None of the ingredients in this product	lous substances):		
SARA Section 313 (Specific toxic ch			
108-88-3 Toluene			
67-63-0 Isopropyl Alcohol			
Toxic Substances Control Act (TSCA): Canadian Domestic Substances List (DSL):	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted.		
Consumer Product Safety Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.		
California Proposition 65 chemicals	· · ·		
13463-67-7 titanium dioxide			
100-41-4 ethyl benzene			
Prop 65 chemicals known to cause birth defects or reproductive harm: 108-88-3 Toluene			
	(Contd. on page 5)		

Revised On 01/17/2024

Page 5/5

Trade name: GLOSS ALMOND ENAMEL		
EPA: 67-64-1 Acetone		(Contd. of page 4)
16 Other information Contact:	Regulatory Affairs	