1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	QUICK SHIELD 00BW160350 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com	
2 Hazard(s) identification			
Classification of the substance or m	ixture		
Flammable Aerosols 1	H222 Extremely flammable aeros	sol.	
Gases under Pressure - Liquefied gas	H280 Contains gas under pressu		
Carcinogenicity 2		er. Route of exposure: Inhalation.	
Specific Target Organ Toxicity - Single			
Specific Target Organ Toxicity - Repea Additional information:	ted Exposure 2 H373 May cause damage to orga	ans through prolonged or repeated exposure.	
GHS Hazard pictograms	$\land \land \land \land$		
	$\langle \underline{0} \rangle \langle \underline{-} \rangle \langle \underline{1} \rangle \langle \underline{0} \rangle$		
	GHS02 GHS04 GHS07 GHS08		
Signal word	Danger		
Signal word Hazard statements	Extremely flammable aerosol.		
	Contains gas under pressure; may explode if he	ated.	
	Suspected of causing cancer. Route of exposure May cause respiratory irritation.	e: Inhalation.	
	May cause damage to organs through prolonged	d or repeated exposure.	
Precautionary statements	Obtain special instructions before use.		
	Keep away from heat/sparks/open flames/hot su Do not spray on an open flame or other ignition	irfaces No smoking.	
	Pressurized container: Do not pierce or burn, ev	en after use.	
	Do not breathe dust/fume/gas/mist/vapors/spray	Ι.	
	Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and ke	eep comfortable for breathing	
	Call a poison center/doctor if you feel unwell.		
	Store locked up. Protect from sunlight. Do not expose to tempera	tures exceeding 50°C/122°E	
	Dispose of contents/container in accordance wit	h local/regional/national/international regulations.	
3 Composition/information on ingredients			
Chemical characterization: Mixtures Chemical Description:	This product is a mixture of the substances liste	d below with nonhazardous additions.	
Dangerous components:	·		

	onennear bescription.		This product is a mixture of the substances listed below with hormazardous additions.	
Dangerous components:				
	1317-65-3	Calcium Carbonate		≥15-<20%
	64742-89-8	VM&P Naphtha		10-15%
	115-10-6	dimethyl ether		10-15%
	64742-47-8	Mineral Spirits		5-10%
	108-65-6	PM acetate		1-5%

4 First-aid measures				
After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medical attention needed:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.			
5 Fire-fighting measures				
Extinguishing agents: Special hazards: Protective equipment for	CO2, extinguishing powder or water spray. Fight larger fires with water spray. No further relevant information available.			
firefighters:	A respiratory protective device may be necessary.			

Page 2/3

	(Contd. of page	
Accidental release measures		
Personal precautions, protective		
equipment and emergency procedures:	Use respiratory protective device against the effects of fumes/dust/aerosol.	
Methods and material for containment and cleaning up:	Absorb liquid components with liquid-binding material.	
' Handling and storage		
Precautions for safe handling Storage requirements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions Store locked up.	
Exposure controls/personal prote	ection	
Components with limit values that re	equire monitoring at the workplace:	
115-10-6 dimethyl ether		
WEEL (USA) Long-term value: 1000 p 108-65-6 PM acetate	pm	
WEEL (USA) Long-term value: 50 ppm		
Hygienic protection:	Immediately remove all soiled and contaminated clothing.	
	Wash hands after use.	
Breathing equipment:	Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. cases where short and/or long term overexposure exists, a NIOSH approved respirator should worn. If you suspect overexposure conditions exist, please consult an authority on chemic hygiene.	
Hand protection:	Nitrile gloves.	
Eye protection:	The glove material must be impermeable and resistant to the substance. Safety glasses	
Diversion and chamical proportion		
Physical and chemical properties Appearance:	S Aerosol.	
Appearance: Odor: Odor threshold:	Acrosof. Aromatic Not determined.	
pH-value:	Not determined.	
PH-value: Melting point/Melting range Boiling point:	Undetermined. -24.9 °C (-12.8 °F)	
Flash point:	Not applicable, as aerosol.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	Not determined. 3 Vol % 18.6 Vol %	
Vapor pressure at 20 °C (68 °F): Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water	23 hPa (17.3 mm Hg) Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable.	
Solubility: Viscosity: Water:	Not determined. Not determined. 33.6 %	
0 Stability and reactivity		
Reactivity:	Stable at normal temperatures.	
	No	
Conditions to avoid: Chemical stability: Possibility of hazardous reactions:	No decomposition if used according to specifications. Not fully evaluated. No dangerous reactions known.	
Conditions to avoid: Chemical stability:	Not fully evaluated.	

Safety Data Sheet

Trade name: QUICK SHIELD

Printing date 01/25/2024

Revised On 01/25/2024

Page 3/3

Trade name: QUICK SHIELD		
	(Contd. of page 2)	
11 Toxicological information		
LD/LC50 values that are relevant for	classification:	
115-10-6 dimethyl ether		
Inhalative LC50/4 h 308 mg/l (rat)		
108-65-6 PM acetate		
Oral LD50 8,500 mg/kg (rat)		
Inhalative LC50/4 h 35.7 mg/l (rat)	. No dota availabla	
Skin effects:	No irritant effect.	
Eye effects:	No irritating effect.	
Sensitization:	No sensitizing effects known.	
12 Ecological information		
Aquatic toxicity: Persistence and degradability:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes.	
Other information:	This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons	
	(HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated	
Bioaccumulative potential:	solvents. No further relevant information available.	
Mobility in soil:	No further relevant information available.	
Other adverse effects:	No further relevant information available.	
13 Disposal considerations		
Dispose of in accordance with local, st	tate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be	
Recommendation:	r cut empty containers with electric or gas torches. Completely empty cans should be recycled.	
14 Transport information		
UN-Number	UN1950	
DOT	UN1950	
DOT	DOT Aerosols, non-flammable	
ADR	1950 Aerosols	
Transport hazard class(es):		
Class Special precautions for user:	2.2 Gases Warning: Gases	
EMS Number:	F-D,S-Ŭ	
Segregation groups Packaging Group:	Ammonium compounds	
UN "Model Regulation":	UN 1950 AEROSOLS, 2.2	
15 Regulatory information		
SARA Section 355 (extremely hazard	lous substances):	
None of the ingredients in this product		
SARA Section 313 (Specific toxic ch	emical listings):	
None of the ingredients is listed.		
Toxic Substances Control Act	All because increasions are found on the inventory list of substances	
(TSCA): Canadian Domestic Substances List	All hazardous ingredients are found on the inventory list of substances.	
(DSL):	All ingredients are listed or exempted.	
Consumer Product Safety	This are dust some liss with 40 OFD 4000 and does not contain more than 00 more of load	
Comission (CPSC): California Proposition 65 chemicals	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.	
13463-67-7 titanium dioxide		
100-41-4 ethyl benzene		
Prop 65 chemicals known to cause birth defects or reproductive harm: None of the ingredients is listed.		
		EPA:
None of the ingredients is listed.		
16 Other information		
Contact:	Regulatory Affairs	
	5 , · ······	